



I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on:

Date: June 20, 2005

By: Maureen Golob

Maureen Golob

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

IN RE APPLICATION OF: TOYOSHIMA, ET AL.

APPLICATION No.: 10/089,004

FILED: MARCH 22, 2002

FOR: **ELECTRODE PLATE FOR WATER ELECTROLYSIS  
DEVICE, ELECTRODE PLATE UNIT, SOLID  
ELECTROLYTE MEMBRANE UNIT, AND  
ELECTROCHEMICAL CELL**

PATENT No. 6,852,205 B1

ISSUED: FEBRUARY 8, 2005

EXAMINER: BELL BRUCE, F.

ART UNIT: 1746

CONF. NO: 4553

**Request for Certificate of Correction**  
**under 37 C.F.R. § 1.322 or § 1.323**

Certificate

JUN 27 2005

of Correction

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

1. The applicants request a Certificate of Correction to correct the following error in the above-identified patent, which are listed on the enclosed Form PTO/SB/44.
2. Any errors on the part of the applicant are of a clerical or typographical nature or are otherwise minor in character. None of the requested corrections would constitute new matter or require reexamination of the patent.
3. Source of Error(s) and Payment of Fee:

- ☐ All of the errors listed on Form PTO/SB/44 are believed to be due to mistake on the part of the USPTO (37 C.F.R. § 1.322). Accordingly, no fees are believed to be due.
- ☒ At least one of the errors occurred due to applicants' mistake made in good faith (37 C.F.R. § 1.323).

- ☒ A check covering the fee under 37 C.F.R. § 1.20(a) (\$100.00) is enclosed herewith.
  - ☐ Please charge the fee under 37 C.F.R. § 1.20(a) to Deposit Account No. 50-2207. This paper is provided in triplicate.
  - ☒ Please charge any underpayment necessary for consideration of this paper to Deposit Account No. 50-2207.
4. Please send the Certificate of Correction to the undersigned at the address shown below.

Respectfully submitted,  
Perkins Coie LLP



---

Paul L. Hickman  
Registration No. 28,516

Date: June 20, 2005

**Correspondence Address:**

Customer No. 22918  
Perkins Coie LLP  
P.O. Box 2168  
Menlo Park, California 94026  
(650) 838-4300

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,852,205 B1  
DATED: February 8, 2005  
INVENTOR(S): Manabu Toyoshima  
Masaru Yonezawa  
Kiyoshi Hirai  
Akiko Miyake  
Yutaka Ishii  
Tsutomu Oi  
Shingo Toriu

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Title section, please correct as follows:

--Electrode Plate for Water Electrolysis Device, Electrode Plate Unit, Solid Electrolyte Membrane Unit, and Electrochemical Cell--

MAILING ADDRESS OF SENDER:

PATENT NO. 6,852,205

Perkins Coie LLP  
P.O. Box 2168  
Menlo Park, CA 94026

No. of additional copies:

⇒ 10

This correction of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.